


## Paediatric falls risk assessment

### Care Delivery

#### Quick reference guide

### Documenting a Paediatric Falls Risk Assessment from iView


Select the *Paediatric Falls Assessment* section from the *Paediatric Risk Assessment* navigator band.



**Note:** Clicking on the *blue text* will open the reference text to aid in the completion of the assessment.

	09-Apr-2018 11:52 AEST
Paediatric Falls Assessment	
Sleeping environment	
Psychological/cognitive impairment	
Impaired mobility	
Anaesthesia/surgery within last 48 hours	
Medical diagnosis	
Multiple medication usage	

1. Complete the *iView* documentation as appropriate.

**Note:** Entering a 'yes' response in a field with the  symbol will open the 'additional risk factors implemented' field where the clinician can record the interventions that have been implemented.

Additional risk factors implemented	
<input type="checkbox"/>	Highlight specific environmental risks
<input type="checkbox"/>	Discuss increased risk with parents
<input type="checkbox"/>	Assist patient with mobilising
<input type="checkbox"/>	Ensure appropriate mobility aids are available
<input type="checkbox"/>	Patient requires additional supervision
<input checked="" type="checkbox"/>	Consult to Physio for mobility assessment
<input type="checkbox"/>	Physio involvement in place

**Note:** Selecting Consult to Physiotherapy for mobility assessment will place an order for a falls/mobility assessment to Physiotherapy

### On admission: Initial paediatric falls assessment


The *admission rule* will order a task for an *initial paediatric falls assessment* which will fall on *CareCompass*. The initial assessment is more comprehensive than follow up the *Paediatric falls assessment* found in *iView*.

**Note:** Always access the Initial falls risk assessment activity from *CareCompass*.

Initial Falls Risk Assessment Paediatric	
Safety Management	Bed environment safe
Functional Assessment	ADLs
Bathing ADL Index	Dressing ADL Index
Toileting ADL Index	Transferring Bed or Chair ADL Index
Contingence ADL Index	Feeding ADL Index
Bed mobility assistance	Ambulation assistance
Paediatric Falls Education	Carer role in falls prevention discussed
Environmental risks discussed	Paediatric falls prevention
Education re clothing/non slip footwear	Paediatric Falls Assessment
Sleeping environment	Psychological/cognitive impairment
Impaired mobility	Anaesthesia/surgery within last 48 hours
Medical diagnosis	Multiple medication usage
Additional risk factors implemented	Supervision required

1. Select the *Initial Paediatric Falls Assessment* from *CareCompass*.

Once the order is highlighted select



2. Complete the documentation from *activity view*
3. Click the green tick to sign and then *refresh*

**Note:** Place an order for a *Falls risk assessment paediatric – daily* for each patient. There is currently a change being progressed that will create a daily system generated order